

EGA

perfil

amixalan




ROW TABBED POST

Innovation in wires' management

AVDA. DE LOS CASTAÑOS, Nº 15 · POL. IND.
SAN MIGUEL 31132 · VILLATUERTA (NAVARRA)
T. (+34) 948 32 16 20 F. (+34) 948 32 16 21
info.ega@egaperfil.com
www.egaperfil.com

ROW TABBED POST

Innovation in wires' management



Standard lengths (mm): 2200 / 2000 and 1800.
The desired length can be produced on demand.

GENERAL SPECIFICATIONS:

Our posts have mix tabbs (parallel above and alternate below) for greater versatility and resistance.

If it's required we produce different types of tabbs: parallel, alternate, central drill or a combination of some of them.

The posts are marked with the year when they are manufactured.

The posts are totally prepared for integrated mechanization (harvest, cutting, etc.) according to the chosen post.

Depending of the type of terrain and instalation, it's advisable to nail between 1/3 or 1/4 of the total length.

According to the especification of the vineyard, the distance between row posts could go from 4 to 6 meters.

DESCRIPTION

Open shaped 52x35 mm post with tabs and "crochet". Proper under 2,30 meters height. Three faced ribbed profile, with an excellent mechanical strength, elasticity and stability of the nailing. It also has a reinforced tab and "crochet" (bottom double small tab), avoiding the contact of the wire with the ground. Recommended medium sized vineyard with lot of wires' management.

QUALITY

TYPE OF STEEL AND COVERING: DX51D Steel, Z-275 Galvanized, according to the EN-10346:2015.

Possible to manufactured on demand different covering (Magnelis...) or with other special types of steel as "Corten" or raw steel.

THICKNESS: 1,50 / 1,80 mm.

CROSS SECTION

A (width) mm. 52

B (height) mm. 35

Weight per linear meter (kg./ml.): e= 1,5 mm. / 1,354
e= 1,8 mm. / 1,625

Length tolerance (+/- mm): 3,000

Section tolerance (+/- mm): 1,000

Inertias (e=1,80 mm): I1 (vertical) mm⁴: 69.152
I2 (horizontal) mm⁴: 24.309

DESIGN AND PACKAGING

Type of notch: Tab

Quantity of notches per length:

Length (mm)	Units
1800	10
2000	10
2200	13

Units per package: 160 uts.

Units per full truck

Length (mm)	Units	e=1,50 mm.
1800	10240	
2000	9120	
2200	8320	